

# Profilovací stroj QUADRO



*Schleichbach*

## **Product line B**

### **Machine type**

|  |                 |
|--|-----------------|
| <b>Profiling Machine Quadro</b><br>without cassettes   | <b>Quadro</b>   |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm and 38 mm<br>SNAP profile 25 mm and 38 mm<br>NAIL strip profile 25 und 38 mm<br>U-section | <b>Quadro+A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm and 38 mm<br>U-section  | <b>Quadro1A</b> |
| <b>Profiling Machine Quadro</b><br>SNAP profile 25 mm and 38 mm<br>U-section   | <b>Quadro2A</b> |
| <b>Profiling Machine Quadro</b><br>SNAP profile 25 mm and 38 mm<br>NAIL strip profile 25 mm and 38 mm<br>U-section                                       | <b>Quadro3A</b> |
| <b>Profiling Machine Quadro</b><br>NAIL strip profile 25 mm and 38 mm<br>U-section   | <b>Quadro4A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 38 mm<br>SNAP profile 38 mm<br>U-section  | <b>Quadro5A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 38 mm<br>SNAP profile 38 mm<br>NAIL strip profile 38 mm<br>U-section                            | <b>Quadra6A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm<br>NAIL strip profile 25 mm<br>U-section  | <b>Quadro7A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm<br>SNAP profile 25 mm<br>NAIL strip profile 25 mm<br>U-section                            | <b>Quadro8A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 38 mm<br>NAIL strip profile 38 mm<br>U-section  | <b>Quadro9A</b> |

## **Product line B**

### **Machine type**

|   |                  |
|---|------------------|
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm and 38 mm<br>male side 25 mm and 38 mm, both-sided,<br>female side 25 mm both-sided and 38 mm one-sided<br>U-section   | <b>Quadro10A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm and 38 mm<br>male side 25 mm and 38 mm,<br>mounted on both sides on each cassette<br>U-section   | <b>Quadro11A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm<br>male side 25 mm and 38 mm, both-sided,<br>female side 25 mm, both-sided<br>SNAP profile 25 mm and 38 mm<br>NAIL strip profile 25 mm and 38 mm<br>U-Profil | <b>Quadro12A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 38 mm<br>U-section   | <b>Quadro13A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm<br>SNAP profile 25 mm and 38 mm<br>NAIL strip profile 25 mm and 38 mm<br>U-section   | <b>Quadro14A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm<br>SNAP profile 38 mm<br>NAIL strip profile 38 mm<br>U-section   | <b>Quadro15A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm<br>male side 25 mm and<br>female side 25 mm both-sided<br>U-section  | <b>Quadro16A</b> |
| <b>Profiling Machine Quadro</b><br>Standing seam profile 25 mm<br>male side 25 mm and 38 mm and<br>female side 25 mm both-sided<br>SNAP profile 38 mm female side and<br>38 mm male side both-sided<br>U-section            | <b>Quadro17A</b> |

## **Product line B**

### **Machine type**

#### **Profiling Machine Quadro**

Standing seam profile 38 mm female side and  
SNAP profile 25 mm female side  
NAIL strip profile 25 mm male side  
and Standing seam profile 38 mm male side  
U-section

**Quadro18A**

#### **Profiling Machine Quadro**

Standing seam profile 25 mm  
U-section

**Quadro19A**

#### **Profiling Machine Quadro**

SNAP profile 25 mm  
NAIL strip profile 25 mm  
U-section

**Quadro20A**

## **Product line B**

### **Changing cassettes for Quadro**

#### **Changing cassette for Quadro**

Double standing seam profile 2" (US-version)  
not turnable, one-sided with profile rolls,  
10 profile stations

KASQUA2"

#### **Changing cassette for Quadro**

Double standing seam profile 50 mm  
not turnable, one-sided with profile rolls,  
10 profile stations

KASQSF50

#### **Changing cassette for Quadro**

Standing seam profile 50 mm with Clip-Relief,  
not turnable, one-sided with profile rolls,  
10 profile stations

KASQSC50

#### **Changing cassette for Quadro**

SNAP profile 1 3/4" = 44,5 cm  
not turnable, one-sided with profile rolls,  
12 profile stations

KASQSNAP

#### **Changing cassette for Quadro**

Sofit-Paneel  
not turnable, one-sided with profile rolls,  
12 profile stations

KASQSOFI

#### **Changing cassette for Quadro**

facade panel (Prof 88)  
not turnable, one-sided with profile rolls,  
12 profile stations

KASQSPAN

## **Product line B**

### **Additional options for Quadro**

|   |                   |
|---|-------------------|
| <b>Longitudinal Slitter Option</b> for Quadro, retrofitting only in our factory!  | <b>LS-QUADRO</b>  |
| <b>Ribbing attachment</b> , add-on unit for Quadro Quadro with 2 couple of ribbing rolls  | <b>SICKQUAD</b>   |
| <b>Concave curving rollers</b> add-on unit for Quadro   | <b>STAUQUAD</b>   |
| <b>Ribbing attachment and concave curving</b> for Quadro  | <b>SISTQUAD</b>   |
| <b>Striation unit</b>   | <b>STRIQUAD</b>   |
| <b>Perforation unit</b> with 2 perforation rollers  | <b>PERFQUAD</b>   |
| <b>Perforation unit</b> with 2 perforation rollers and 2 ribbing rollers for v-ribbing  | <b>PERPENQ</b>    |
| <b>Notching Machine Quadro</b> electro-hydraulic, notch width 30 mm, notch length adjustable, for fitting on the profiling machine Quadro | <b>AK-QUAD</b>    |
| <b>Exchangeable notching tool set</b> for AK-QUAD, for special shape  | <b>WTAKQU</b>     |
| <b>Uncoiler</b> , mobile, for a max. coil weight of 1 tonne, usable for QUADRO, SPM, SPA  | <b>AH 1250 A1</b> |
| <b>Uncoiler</b> , for a max. coil weight of 5 tonnes, usable for QUADRO, SPM, SPA   | <b>AH 1250 K5</b> |