

Profilovací stroj QUADRO



Schleichbach

Product line B

Machine type

Profiling Machine Quadro without cassettes	Quadro
Profiling Machine Quadro Standing seam profile 25 mm and 38 mm SNAP profile 25 mm and 38 mm NAIL strip profile 25 und 38 mm U-section	Quadro+A
Profiling Machine Quadro Standing seam profile 25 mm and 38 mm U-section	Quadro1A
Profiling Machine Quadro SNAP profile 25 mm and 38 mm U-section	Quadro2A
Profiling Machine Quadro SNAP profile 25 mm and 38 mm NAIL strip profile 25 mm and 38 mm U-section	Quadro3A
Profiling Machine Quadro NAIL strip profile 25 mm and 38 mm U-section	Quadro4A
Profiling Machine Quadro Standing seam profile 38 mm SNAP profile 38 mm U-section	Quadro5A
Profiling Machine Quadro Standing seam profile 38 mm SNAP profile 38 mm NAIL strip profile 38 mm U-section	Quadra6A
Profiling Machine Quadro Standing seam profile 25 mm NAIL strip profile 25 mm U-section	Quadro7A
Profiling Machine Quadro Standing seam profile 25 mm SNAP profile 25 mm NAIL strip profile 25 mm U-section	Quadro8A
Profiling Machine Quadro Standing seam profile 38 mm NAIL strip profile 38 mm U-section	Quadro9A

Product line B

Machine type

Profiling Machine Quadro Standing seam profile 25 mm and 38 mm male side 25 mm and 38 mm, both-sided, female side 25 mm both-sided and 38 mm one-sided U-section	Quadro10A
Profiling Machine Quadro Standing seam profile 25 mm and 38 mm male side 25 mm and 38 mm, mounted on both sides on each cassette U-section	Quadro11A
Profiling Machine Quadro Standing seam profile 25 mm male side 25 mm and 38 mm, both-sided, female side 25 mm, both-sided SNAP profile 25 mm and 38 mm NAIL strip profile 25 mm and 38 mm U-Profil	Quadro12A
Profiling Machine Quadro Standing seam profile 38 mm U-section	Quadro13A
Profiling Machine Quadro Standing seam profile 25 mm SNAP profile 25 mm and 38 mm NAIL strip profile 25 mm and 38 mm U-section	Quadro14A
Profiling Machine Quadro Standing seam profile 25 mm SNAP profile 38 mm NAIL strip profile 38 mm U-section	Quadro15A
Profiling Machine Quadro Standing seam profile 25 mm male side 25 mm and female side 25 mm both-sided U-section	Quadro16A
Profiling Machine Quadro Standing seam profile 25 mm male side 25 mm and 38 mm and female side 25 mm both-sided SNAP profile 38 mm female side and 38 mm male side both-sided U-section	Quadro17A

Product line B

Machine type

Profiling Machine Quadro

Standing seam profile 38 mm female side and
SNAP profile 25 mm female side
NAIL strip profile 25 mm male side
and Standing seam profile 38 mm male side
U-section

Quadro18A

Profiling Machine Quadro

Standing seam profile 25 mm
U-section

Quadro19A

Profiling Machine Quadro

SNAP profile 25 mm
NAIL strip profile 25 mm
U-section

Quadro20A

Product line B

Changing cassettes for Quadro

Changing cassette for Quadro

Double standing seam profile 2" (US-version)
not turnable, one-sided with profile rolls,
10 profile stations

KASQUA2"

Changing cassette for Quadro

Double standing seam profile 50 mm
not turnable, one-sided with profile rolls,
10 profile stations

KASQSF50

Changing cassette for Quadro

Standing seam profile 50 mm with Clip-Relief,
not turnable, one-sided with profile rolls,
10 profile stations

KASQSC50

Changing cassette for Quadro

SNAP profile 1 3/4" = 44,5 cm
not turnable, one-sided with profile rolls,
12 profile stations

KASQSNAP

Changing cassette for Quadro

Sofit-Paneel
not turnable, one-sided with profile rolls,
12 profile stations

KASQSOFI

Changing cassette for Quadro

facade panel (Prof 88)
not turnable, one-sided with profile rolls,
12 profile stations

KASQSPAN

Product line B

Additional options for Quadro

Longitudinal Slitter Option for Quadro, retrofitting only in our factory!	LS-QUADRO
Ribbing attachment , add-on unit for Quadro Quadro with 2 couple of ribbing rolls	SICKQUAD
Concave curving rollers add-on unit for Quadro	STAUQUAD
Ribbing attachment and concave curving for Quadro	SISTQUAD
Striation unit	STRIQUAD
Perforation unit with 2 perforation rollers	PERFQUAD
Perforation unit with 2 perforation rollers and 2 ribbing rollers for v-ribbing	PERPENQ
Notching Machine Quadro electro-hydraulic, notch width 30 mm, notch length adjustable, for fitting on the profiling machine Quadro	AK-QUAD
Exchangeable notching tool set for AK-QUAD, for special shape	WTAKQU
Uncoiler , mobile, for a max. coil weight of 1 tonne, usable for QUADRO, SPM, SPA	AH 1250 A1
Uncoiler , for a max. coil weight of 5 tonnes, usable for QUADRO, SPM, SPA	AH 1250 K5